

3dr solo battery terminal





Overview

The electrical interface with Solo uses the following connectors: 1. Battery side connector (female) is a Molex 171090-0048 (PDF). This is a custom connector that can only be purchased in minimum orders of 1,00.



3dr solo battery terminal



[Battery Charger Interface , 3DR Solo Development Guide](#)

This topic specifies the charging interface to the Solo battery (this is needed if you want to build chargers, charging pads, etc). See the Battery Bay page for information needed to develop ...

[Battery Bay , 3DR Solo Development Guide](#)

The Battery Bay can be used for mounting power system accessories including high capacity batteries, tethers, fuel cells and alternative energy sources. See the Battery Charger Interface ...



[3DR Solo Manual , ManualsLib](#)

Only power Solo using the designated 3DR Solo Smart Battery; using a different battery can permanently damage Solo. Make sure Solo is level before powering on and keep Solo still ...

[3dr Solo Battery Charger for sale , eBay](#)

Get the best deals for 3dr Solo Battery Charger at eBay . We have a great online selection at the lowest prices with Fast & Free shipping on many items!



[3DR SOLO USER MANUAL Pdf Download , ManualsLib](#)

Ensure that both the controller and Solo are powered, the controller has at least 50% battery remaining, and the app is connected to Solo Wi-Fi. The total update process can take up to 10 minutes.

GitHub

The SpektreWorks Solo Multi-Charger is a multi-battery charging station to be used with the 3DR Solo. It has charging ports for four 3DR Solo Smart Batteries, a Solo hand controller, and two ...



3DR Solo with Lilon 9000mAh battery , up to 30min flight time

I would like to share my experience with building a custom Lilon battery for 3DR Solo and have correct battery % display on the App and Artoo controller. My goal was to build ...





3DR Solo Controller Battery Pinout

By exploring the intricacies and operation of the 3DR Solo controller battery pinout without explicitly naming it, we gain a deeper understanding of its inner workings.



[3DR SOLO USER MANUAL Pdf Download . ManualsLib](#)

Ensure that both the controller and Solo are powered, the controller has at least 50% battery remaining, and the app is connected to Solo Wi-Fi. The total update process can take up to 10 ...

My SOLO Battery mod

But while there are several more Solo batteries in good condition, for 15 - 17 minutes in the air, the BMSOne should be connected separately, without replacing the original ...



Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.conrad.edu.pl>